



Hardy Fern Foundation NEWSLETTER

Editor Sue Olsen ■ VOLUME 5 NUMBER 4 ■ FALL 1995



Hardy Fern Foundation



HFF Poster

China. He is collecting seeds and spores for the R.S.B.G. and the Hardy Fern Foundation. It will be an exciting time when he returns and starts opening boxes and envelopes. We all wish that Steve has a rewarding trip. For us and the R.S.B.G. the rewarding will come later with the growing.

Sue and Harry Olsen attended Pteridophytes '95 at Kew Gardens as did our scientific advisor Barbara Hoshizaki and husband Takashi as well as HFF members Catharine Guiles, Susan MacQueen and Nancy Swell. Sue reports that the public response to our new poster which was on display was enthusiastically positive. It was nice to have an international audience. We hope to reproduce this poster in a smaller size for display at our satellite gardens.

We send all good wishes to our members and friends for a good holiday season along with hopes for a comfortable winter dormancy for all of our pteridophytes.

P.S. A reminder: We are looking forward to progress evaluations from our satellite gardens for publication in an upcoming newsletter.

President's Message

Sylvia Duryee

Fall again - the culmination of spring work, summer care and growth. What a pleasure to see the juveniles growing on to full maturity. In my garden this may take three to four years. More successes than losses sparks the desire to grow more. And how are yours doing? We'd love to receive an evaluation.

We are enjoying our allotted space in the hoophouse at the Rhododendron Species Botanical Garden but we still have needs. We hope to amend our watering problems by helping to design and install a watering/misting system. This will make a large difference in our growing efforts.

We were pleased to be able to contribute to Steve Hootman's five week trip to

Dryopteris Marginalis

James R. Horrocks
Salt Lake City, Utah

The species name "marginalis" refers to the position of the sori on the pinnales. They appear near the margins, and it is this feature that distinguishes this species from a score of other bipinnate members of this genus. It is commonly known by several names: Evergreen Wood Fern, Leather Wood Fern, and Marginal Shield Fern, the latter name being the more descriptive. The range of this North American species is from Newfoundland to Ontario south through the New England states to Georgia, then across to eastern Kansas up through the Great Lakes area. It is more abundant northward.

Dryopteris marginalis is mainly terrestrial in nature, although occasionally epipetric, that is, growing on rocks. It is found growing around talus, on rock ledges, and in the open ground in shade. It prefers rocky hillsides in rich woodlands but sometimes frequents somewhat sterile soils and is often found growing in proximity to the Christmas Fern, *Polystichum acrostichoides*. These two species often hold erosion in check on

continued on page 42

Contents.....

- | | |
|-------|--------------------------------------|
| 38-39 | On the Pteridophyte Trail in England |
| 40-41 | American Fern Society Fern Foray |
| 41 | For Your Information |
| 42-47 | The 1995 Spore Exchange |
| 48 | Membership Application |

Before You Go

We strongly recommend a membership in The National Trust a British charity founded in 1895 to preserve places of historic interest or natural beauty. They currently oversee 1,000 ancient monuments, 200 historic houses, 160 gardens, 25 industrial monuments and protect over 590,000 acres of countryside including 550 miles of coastal property. Members receive a descriptive guidebook to these properties organized by county. They also receive free or reduced admission to these sites. We found it very worthwhile. For further information write to National Trust Membership Department, PO Box 39, Bromley, Kent BR1 3XL, England.

The Gardener's Guide to Britain by Patrick Taylor, Timber Press 1994 presents descriptions of "A personal selection of the best gardens, nurseries and specialist plant suppliers" and is immensely helpful. They too are organized by geographical area and are indexed by garden type and features i.e. ferns, herbs, alpinists etc.

Someday we'll have an article on the British National Plant Collections program. For now, however, we recommend their book The National Plant Collection Directory published annually. There are an unbelievable number national collections from hepatica and heuchera to the ferns, of course including polystichum, polypodiums, dryopteris etc. This little guide gives directions to the gardens as well as information on when the gardens are open, number of species and other pertinent details. This is published by the NCCPG, The Pines, Wisley Garden, Woking, Surrey GU23 6QB, England.

Finally, of course, fern books are in order and we particularly like The Ferns of Britain and Ireland by Chris Page, Cambridge University Press, London, New York 1982. Page's A Natural History of Britain's Ferns Collins, London, 1988 is especially useful for descriptions of habitats. Finally there is a more recent work, The Illustrated Field Guide to Ferns and Allied Plants of the British Isles by Clive Jermy and Josephine Camus, Natural History Museum Publications, London 1991 that has keys, descriptions and illustrations of the native material.

NOTE Travelers heading in the opposite direction to Southern Alpines '96 in Christchurch New Zealand in January might want to put Brownsey's and Smith-Dodsworth's excellent reference New Zealand Ferns and Allied Plants, David Bateman, Auckland, 1989 on their wish list!

On the Pteridophyte Trail in England

Sue Olsen, Bellevue, WA

Part One

The lure of an escorted post-conference tour to Devon and Cornwall led my husband Harry and me to return our registration forms for Pteridophytes '95 Kew practically by return mail. (We were so prompt that we were the first ones signed up!) Our experience at the BPS Centenary conference and tour in 1991 left us eager to once again see England's ferns in situ and also by extending our trip beyond the scheduled program to visit private and public gardens. We were not disappointed.

The England we visited in mid-July was suffering from record heat and the worst drought in 250 years. This was to follow us during our entire trip of six weeks. We will indeed vouch for the heat and it was a relief to leave London and head for a more maritime southwest climate under

the leadership of Dr. Chris Page recently retired from The Royal Botanical Gardens at Edinburgh.

By Harry's suggestion and with the group's approval our first stop en route was at Stonehenge. Any thoughts of the stones being surrounded by ferns were gone in a glimpse, however we were glad to have the opportunity to visit the historic site. From there we made our way to Devon where after several wrong turns we found the Heron House Hotel which was to be our operation central for the next several days. The beachfront hotel faced the English Channel and provided wonderful early morning and evening scenic walking opportunities.

All the while views from our bus window perch promised good things to come. For starters there were unmistakably large stands of Phyllitis scolopendrium growing in deep deep shade. (They will show up later in full sun, but I don't think these lush communities ever saw "the light of day".) Our first foray was to the research center and surrounds at Slapton. Here

overlooking the spectacular coastal scenery we saw woodlands of Polystichum setiferum as well as more and more Phyllitis scolopendrium. Dryopteris affinis was also prominent and these ferns were to be the common species encountered during our travels. Going down (and I might add back up) 147 steps deeper into the woods we found Dryopteris dilatata and Dryopteris filix-mas. The highlight of the day, however, was the village center where amongst thatched roofed homes Polypodium interjectum, Asplenium trichomanes and various daisy like plants were entangled on the old mortared walls. We entertained the locals by lining up, macro lenses in hand duly recording their walls. Later in the day we crossed over a promontory to the next beach in search of Asplenium adiantum-nigrum. The stand had long since been overwhelmed by blackberries but Barbara Hoshizaki managed to ferret out some specimens from under the brush.

The next morning we went to the Berry Pomeroy Castle which when last seen by Chris was covered with the lime loving Polypodium cambricum (formerly P. australe). Meanwhile the castle had recently been "cleaned up" and gone were the polypodiums!! (Ferns on castle walls have a way of disappearing like this.....we had a similar experience returning to "under restoration" Tintern Abbey.) There were a few species tucked in out of the way spots so we enjoyed them and left the rest to our imagination. The highlight of the day, however was a stop at the village of Chudleigh. Here the sunny walls of the town and especially the graveyard were covered once again with Asplenium trichomanes, this time in the company of Asplenium ruta-muraria, Phyllitis scolopendrium and Ceterach officinarum. These were exciting to see, but even more so was our discovery of a tombstone (for Betha and Ellen) beautifully carved to resemble an old wall with a fern frond growing out it. (If we foreigners looked strange photographing the wall in Slapton, you should have seen us on our knees at the tombstone!) It was hard to leave but the afternoon called for a visit to the Yarner Wood National Nature Reserve in Dartmoor National Park. Here under oaks and conifers we found

some of the acid loving ferns as we walked through the valley and along a natural stream. Dryopteris aemula with light green fronds, tall specimens of Oreopteris limbosperma, and Osmunda regalis, as well as Dryopteris expansa and the hybrid between Dryopteris expansa and Dryopteris dilatata were all studied and compared.

It was time to move on to Cornwall with several stops en route. Our first chance to risk life and limb was at Liskeard where Asplenium bilottii was growing on the shady banks of a narrow lane. The latter were quite standard and the bus backed up more than once during our trip to "yield" to oncoming traffic hidden deep in the hedge rows. Rose Murphy a retired school marm joined the tour at this point to assist for the next several days and was quick to point out the already familiar dryopteris at the afternoon stop in Lower Gurdon along with Equisetum fluviatile, Polypodium vulgare, Dryopteris carthusiana and Pteridium aquilinum var. atlanticum (Page). I have not mentioned Pteridium aquilinum (bracken) or Athyrium filix-femina (lady fern), but be assured they were everywhere. In fact the bracken appears to be slowly devouring the entire British Isles along with blackberries.!

Another day and another woodland, Lamorran woods yielded more finds including several Dryopteris affinis subspecies and Blechnum spicant. The group lunched in the popular fishing village of St. Mawes where we had our only encounter with Adiantum capillus-veneris in the churchyard. We seemed to be hanging out in cemeteries and the afternoon was no exception at the charming church in St. Just-in-Roseland. The gravestones were surrounded by huge stands of Dryopteris affinis with an occasional specimen of D. a. subsp. robusta. In another portion of the garden were healthy swathes of a Blechnum sp.! (tabulare, chilense, magellanicum and cordatum were all suggested and discussed as correct names but there was no consensus...lovely plant though!) The dominant "companion" plants to all of these ferns throughout the countryside were hydrangias of all forms and colors and crocosmia species and cultivars.


The next morning we visited Chris' beloved Penjerrick garden. This 25 acre estate has been developed by the Fox family over a period of 200 years and there, as promised, were the 200 year old tree ferns (Dicksonia antarctica) for which the garden is known. Several of the dicksonias are believed to be the oldest and largest in cultivation. Our moisture loving mystery blechnum appeared again colonizing along a stream bed along with huge specimens of gunnera and Osmunda regalis. (Someone should introduce O. cinnamomea!) The afternoon excursion by contrast was to Kynance

ous was one of the high points of the trip and many wished we could continue along the coast.

On our last day we went to an abandoned mill where explosives were once made for the Cornish tin mining industry. The woods contained many of the ferns that had been enjoyed on the trip and it was a fitting summary and conclusion. The group abandoned ferns for the afternoon to enjoy sightseeing in Falmouth where many of us were entertained by fleets of sailboats participating in a popular local regatta. As a farewell celebration we

spent the evening at a wine and cheese gala at the estate of Chris' sister-in-law'. It was a fitting ending to a very busy week. Chris wrote that he hoped we'd return with happy memories and many photos and we can say yes on both counts!

Part Two will explore fern gardens and habitats that we enjoyed after the tour including a return visit to some of the places described on the 1991 tour.



Tombstone - Chudleigh. Photo by Harry Olsen.

Cove down at the tip of the Lizard Peninsula the southern most point in England. One has to think that Kodak film was developed for just such a spot with picturesque windswept cliffs and the turquoise/royal blue Atlantic Ocean rolling in to join the English Channel. The dominant plant in the area was spiny gorse....thank goodness we don't have to cope with that weed. Much of the point's rock is serpentine and our specific goal was to find the serpentine form of Asplenium adiantum-nigrum which indeed we did. A bonus at the end of the trail was the discovery of two plants of Asplenium marinum (more about this in Part Two) tucked in the rocks in deep shade. Each had only a few leathery fronds, but we were all pleased with the find. The hike while not strenu-



*Hardy
Fern
Foundation*

The Hardy Fern Foundation Newsletter is published quarterly by the Hardy Fern Foundation, P.O. Box 166, Medina, WA 98039-0166.

Articles, photos, fern and gardening questions, letters to the editor, and other contributions are welcomed!

Please send your submissions to Sue Olsen, 2003 128th Ave SE, Bellevue, WA, 98005.

Newsletter:

Editor: Sue Olsen

Assistants: Janet Dalby, Sylvia Duryee

Graphics: Karie Hess

American Fern Society Fern Foray

by Robin Halley -
Editor The Fern World

Co-published with the
San Diego Fern Society

Friday, 7:03, Phoenix, August 4, 1995.
103° It's gonna be a scorcher. A normal
summer day in this sun-beaten town...and
I have a job to do. Who am I? Terry
Dologist, Fern Detective.

A coupla weeks ago I got a hot tip (...and
it is hot) about a coupla joes that can lead
me to more ferns than I can shake a
collecting bag at. My job bein' what it is,
I couldn't stay away.

Friday, 7:59. 105° Pull up to the Super
8 Motel Phoenix Metro/Central. Already
a motley crew of fern finders is gatherin'
'round a van that looks smaller than 11
people and their bags. After handshakes
all around, we get on the road. Turns out
the van is comfy and *air conditioned*.

The guys headin' up this expedition, Mike
Windham and George Yatskievych,
'splain as to how, since the usual Arizona
monsoon hasn't hit this year, we're gonna
have to follow different leads. Ya gotta
know the territory.

Friday, 10:30. Gila County, Mazatzal
Mountains, lower Barnhardt Canyon.
HOT. We're at 4100' and it's still hot.
Lucky it's early. We pile out of the van like
bloodhounds on a chase...sniffin' through
the underbrush. Evergreen woodland
with mostly oaks, junipers, and pines.
The first cry goes up. A fern is spotted.

I seen a lot of ferns in my time. But this
is a fern just like a fern you'd see that
hadn't been watered for a long time.
Curled, withered, scorched. "Oh," says
Mike, "*Cheilanthes yavapensis*." I be-
lieve him. Of course, with a fern in that
condition, he coulda said *Cheilanthes*
anything and no one would have known
different. The next ferns are more
recognizable...cliff-brakes...Wright's cliff-
brake (*Pellaea wrightiana*). Next, the
spiny cliff-brake (*P. truncata*)... and the
hybrid *Pellaea* "wagneri." Also, more lip
ferns (*Cheilanthes*) with *C. covillei*, *C.*
fendleri, and *C. lindheimeri*. Most are



L-R.
George Yatskievych,
Lisa Hooper,
John Mickel,
Don Farrar,
Alan Smith,
Sue Hollis,
Carl Taylor,
Dan Palmer,
Wendy Born,
Mike Windham.

First Stop
Barnhardt Canyon.

"crispy critters," but occasionally we see
one with a coupla healthy fronds. Mike
points out some plants that look like
shriveled gold. These are goldback ferns
(*Pentagramma triangularis* subsp.
maxonii). We see both the triploid and
tetraploid cytotypes. (Don't ya love it
when I talk scientific?)

We move up to 4500 feet, into a riparian
community. In plain talk, that's plants
associated with water, usually a river or
lake. Here, we find walnut, plane trees,
hackberry, and a lady near a spring. The
lady...is a lady fern. Arizona
desert...*Athyrium filix-femina*. Go figure.
Also stalked and found, bracken (*Pteridium*
aquilinum) and giant chain fern
(*Woodwardia fimbriata*). We wend our
way back to the van, following a two-inch
hose designed to bring spring water to
grazing cattle a mile or so below. By the
time we get to the van, water...or any-
thing else wet and cold...sounds good to
us.

*The lava sits on top of ice caves
which enable a cool wet wind to
blow up though the lava . . .*

Back in the van, heading for a lunch stop.
We move out of cactus country, into
yellow pine forest on the Mogollon Rim.

Friday, 1:00. 7245' Mid-80s. Practically
frigid. We pull up to what's left of Baker
Lake. Never much more than a big pond,
in deep summer it seems mostly mud.
Eleven guys and gals tromping through
mucky mud looking at water clover. Mike

tells 'bout how it used to be *Marsilea*
vestita, but now it's *Marsilea mollis*. Find-
ing ferns is fun. Keeping up with names
is work. A little ways away we find more
bracken. John Mickel and Dan Palmer
talk about whether it's variety *pubescens*.
No decision is reached. Our stomachs
demand lunch. George and Mike lay out
the sandwich spread and we dive in.

Friday, 2:00 7400' Still nice. Major stop
2 for today. We're at Dane Canyon and
we hear there are ferns galore. This is a
Montane Conifer Forest dominated by
spruce, fir, and maple. We follow the fire
roads down into the canyon. My well-
honed detective sense leads me right to
'Cystopteris Rock.' [Or was it luck? No
matter.] This rock is just covered with
brittle or bladder ferns, as *Cystopteris*
are called. Here we fern hounds find the
southwestern brittle fern (*Cystopteris*
reevesiana), the Utah brittle fern (*C.*
utahensis), and the very rare hybrid, *C.*
reevesiana x *C. utahensis*. Under and
around other rocks nearby, we find the
western polypody (*Polypodium*
hesperium) and the purple cliff-brake
(*Pellaea atropurpurea*). After sliding...er,
hiking further down the canyon, we find a
stream bed lined with more *Cystopteris*,
the northern holly fern (*Polystichum*
lonchitis), the lady fern (*A. filix-femina*),
and the male fern (*Dryopteris filix-mas*).
On the way back out, Sue Hollis spots a
lonely maidenhair spleenwort (*Asplenium*
trichomanes) or two.

Friday, 6:00 Somewhere in the 90s and
the 6000s. A quick stop at Mormon Lake
just for the view. Orange, red, and purple
tint the thunderheads to the west. To-

ward the horizon, rain, occasionally interrupted by lightning, streaks down but never reaches the ground.

Friday, 7:00 7500' High 70s. The gang settles into the Flagstaff Fairfield Suites. Dinner at 7:00 at a local Mexican restaurant...with live music...then back to our rooms to pore over the treasures gathered during the day. Did you know that if you put shriveled *Cheilanthes* fronds into a plastic bag with some water overnight, they look almost like real fronds in the morning?

Saturday, 7:00. Day two. Clear and bright. Everyone's eager to get back on the trail. After a continental breakfast, we beeline north for today's first stop, the south slope of Elden Mountain.

Saturday, 9:00. 95° Beginning to heat up again. This is no sissy stop. Through thickets. Up ravines. Over tall boulders clamber the super-sleuths in search of the wily ferns. Carl Taylor and Don Farrar lead the way. We see more *P. wrightiana*, then Eaton's lip fern (*C. eatonii*) with some actual live fronds, the ebony spleenwort (*A. platyneuron*), the black-stemmed spleenwort (*A. resiliens*), the western cliff fern (*Woodsia oregana*), and *Woodsia neomexicana*. About here I noticed that most of the ferns we are finding have "cliff" something in their names. They should also have had "hot" something... Back to the van and the cold drinks.

Saturday, 11:00. 100° A special added attraction. The Sunset Crater lava flows. Mike says "The tour leader's nightmare." Here we're tracking down a very elusive fern, the forked spleenwort (*A. septentrionale*). Faced with sharp, unstable glass-sharp lava, Sue Hollis proves to be the only person on the trip in her right mind and volunteers to patrol the perimeters. The other ten heat-stroke victims clamber out onto the lava. More surprises. The lava sits on top of ice caves which enable a cool wet wind to blow up through the lava. As a result, a variety of ferns grow in this nearly barren, hostile environment. As we spread out to corner *A. septentrionale*, we find lip ferns (*C. feei* and *C. fendleri*), cliff ferns (*W. oregana*, *W. neomexicana*, and *W. oregana* x *W. neomexicana*), the male fern (*D. filix-mas*), and a brittle fern (pos-

sibly *C. fragilis*), but no forked spleenwort. It almost feels like a snipe hunt. We all head back, saddened and enlivened at the same time. Just as most of us scramble out of the lava flow, "We found it." Alan Smith and Lisa Hooper burst out from between two huge cinderrocks carrying their one-frond prize. No one was ready to "go back in."

Saturday, 1:00 HOT! Hunger is setting in again. We take it on the lam to the relative cool of Oak Creek Canyon and lunch overlooking Oak Creek. Not much in the way of fernery, but great fixin's again. Thanks, George. A couple of horsetails (*Equisetum arvense*, *E. x ferrissii*) and some bracken later and we're back on the road.

Saturday, 3:00 103° Heading back toward Phoenix. Talking about a good coupla days and catching an early flight. Suddenly, George turns the van off the highway and starts down a bumpy, rocky, dusty, dirt road. This is cactus country. Mike calls it Sonoran Desert community featuring prickly pear, jojoba, ocotillo, palo verde, and cactus. We pull to a stop at a wash near a sign that says "Bumblebee 4." Is that a partial score? "Major stop 3 for today," explains Mike. He must take us for fools. There's a rush for the door. He's right.

Wendy Born heads the pack as we wander off down the wash. Mike leads us to a series of cheilanthoid fern and fern allies. Cloak ferns (*Notholaena californica* and *N. standleyi* subsp. "*mazatzalensis*"), lip ferns (*C. parryi* and *C. yavapensis*), *Astrolepis cochisensis* subsp. *arizonica* (one of very complex *A. sinuata* complex), and a pretty little Selaginella species (*S. arizonica*). I hunt fruitlessly for Parish's and Wright's lip ferns (*C. parishii* and *C. wrightii*). An hour later, George and Mike are trying to herd us, toasted but reluctant, back into the van.

Saturday, 5:00 104° Phoenix International Airport. Good byes to those not going on to San Diego and the AIBS conference. Making plans for next year. "Leave no fern before its time." Or something like that.

For Your Information

While at the conference at Kew we met Dr. Kunio Iwatzuki author of *Ferns and Fern Allies of Japan*. He advises that the English version of the book is still pending, however (and unfortunately) the magnificent photographs for which the book is acclaimed will not be included in the English edition.

Lee Moore "The Adventurer" has asked that I announce that he leads expeditions to the Peruvian Amazon. These safaris are limited to 15 people and last for 10 days. The price, inclusive from Miami, is \$2,600. For further information write to Lee at P.O. Box 822, Miami, FL. 33156. Phone (305) 274-3980.

The A.I.B.S. (American Institute of Biological Sciences) meeting and American Fern Society annual meeting will be in Seattle next August 4 - 7 complete with pre-conference field trips. Your HFF is planning an excursion. There will be more information available as plans are firmed. If you are interested let us know.

In response to our request for garden reports, Catharine Guiles of Maine has written, "I fear I must report three deaths and one case of ill health. June and July 1994 were very dry, December 1994 was warmer than usual, and the snow cover for last winter was not heavy. All this placed stress on perennials, and I lost three ferns in my Blue Hill, Maine, garden, about which I wrote in 1992. These were: the Dwarf fimbriate Lady Fern (*Athyrium filix-femina* 'Fancy Fronds'), the Crested male fern (*Dryopteris filix-mas* 'Cristata the King') and the Fragile fern (*Cystopteris fragilis*). The first two never did thrive, though they lasted through the two previous winters. The third, I have concluded most likely died because of inadequate winter protection and perhaps because of stress from dry conditions during the growing season. After the winter of 1992-93, I lost the Bulblet fern (*Cystopteris bulbifera*); however, in the spring of 1994, it reappeared and it also survived last winter." Thanks for the report Catharine!

Dryopteris Marginalis

continued from page 37

barren shaded slopes. *Dryopteris marginalis*, more often than not, grows as a solitary plant and is quite striking by itself. As the common name implies, it is quite evergreen.

Description: The erect rhizome is among the largest of any in the genus *Dryopteris*, often rising two inches above the surface, clothed in chaffy brown scales. The rhizome does not branch or divide but remains solitary. The uncurling croziers are covered rather heavily with coarse pale reddish-brown scales. The sori, although not yet quite mature, are quite well defined and easily observed near the margins of the pinnae as they unfurl. The fronds are twelve to thirty inches long, bipinnate, and change in color from light green to a gray-green or blue-green as the summer proceeds. The pinnules are crowded, oblong and somewhat scythe-shaped with rounded tips. The fertile fronds, which do not differ in outline from the sterile, are almost completely covered with sori which are spaced in a uniform manner near the margins of the lobes. The submarginal indusia are kidney-shaped and at first are nearly transparent to greenish-white, later seemingly changing color, being influenced by the ripening brown spores.

Culture: A very adaptable fern for the garden, at its best in deep, stony, slightly acid, humous soil that is well drained but kept moist. The crown should be planted so as not to be covered with soil, but exposed. A top dressing of rotting leaves around the crown is beneficial. This fern will grow in full shade to open shade, taking some sun. Often thought of as a rather common fern, it can be used with great effect among boulders and even next to the exposed roots of large trees. It is probably more striking as an individual plant than in a colony. Several species of *Dryopteris* seem happier if grown as a single specimen. Besides *D. marginalis*, other examples of this solitary habit include such species as *D. atrata*, *D. lacera*, and *D. uniformis*, all exhibiting a single erect crown which seldom or never divides. The best rule of thumb is to observe how they grow in nature and then allow them the same

freedom in the garden. *D. marginalis* is certainly one of the "old dependables" in any garden and should be in every collection of ferns.

The 1995 Spore Exchange

The exchange is alive and well again this year. We have had an increase in donations. This gives our members a greater diversity of ferns to choose from. On the other hand we had a decrease in the number of requests. Members are encouraged to get out there in their gardens agrowing ferns. Come ya'll git plantn'!!

Spore List Key for Growth Habits

1	Rare	R	Rocky Soil
2	New Listing	J	Epiphytic
3	Few Spores	B	Tree Fern
A	Alkaline Soil	C	Climber
Z	Acid Soil	G	Spreading Habits
D	Dry Soil	E	Easy to Grow
N	Normal Dampness	Q	Difficult to Grow
W	Wet Soil	\$	Green Spored
L	Soil Specific	\$\$\$	Green Spored with Fresh Donor

The other listings are:

Zone which lists the most northern zone that a fern has been reported to grow. If its zone is unknown I put 99

Size the largest size the fern will grow under ideal condition.

GROth habits the key above is self-explanatory.

Coll. Site is where the fern was collected if its is collected in the wild.

ORIGIN is the ferns natural habitat.

Donor lists the donors of the various spores. It is listed with the year the spore was donated beginning with the most recent; then the donor number. There is a space between successive years.

If you want spore from a particular donor or collection site you must specify which one.

Much of the information in the List was collected through the hard work of Brian Aikins, and Robert Luis Muller. If any member has any reliable information that should be added to, or changed in, the list please forward that information with your spore donation or request. Many Thanks!

Another reminder we can always use more spores. This last year has been a good one for donations but the viability of the exchange depends on a constant flow of fresh spores from the membership. So please send in whatever you have time to collect. Thanks!

To order: Please print your selections clearly in alphabetical order using the Botanical name. Include 25 cents for each fern requested (check payable to the Hardy Fern Foundation) and a self-addressed stamped envelope. No charge for requests from overseas, but please enclose an International Postal Return Coupon to help with the cost of mailing the spores. Maximum order is 25 packets per year.

Mail Requests to:
Wayne "Bubba" Baxter
307 Riverdale Cir.
Stephenson, VA 22656
540-667-0139



Dryopteris marginalis.
Photo by
Kim N. Durrant,
SLC, Utah.

DONOR LIST

Aikins	Brian	1
Minne	Claire	2
Baxter	Wayne	3
Born	Wendy	4
Burkman	Mrs Alica J.	5
Davis	Anna Mana.	6
Duryee	Sylvia & Phil	7
Duthie	Leslie	8
Dwyer	Patrick	9
Entz	Sue&Hermn	10
Gaddis	Ins	11
Gassner	Wolfram	12
Goudy	Chris	13
Green	Eldred	14
Haines	Grag	15
Hall	Neil	16
Hankerson	Marguerite	17
Hanover	Kenneth	18
Hatfield	Leslie	19
Horder	Jocelyn	20
Horrocks	JR	21
Hoshizaki	Barbara Joe	22
Huntley	Guy	23
Jerry Hon.	Clive	24
Jones	Judith	25
Kasper	Harold Dr.	26
Knoblock	Dr. Irving	27
Krukeberg	Mareen	28
Lake	Robert W.	29
Leake	Donald	30
Lindsay	Stuart	31
Makeia	Lynn	32
Mascitelli	John&Margo	33
Mickel	Dr. John T.	34
Muller	Mary	35
Olsen	Sue	36
Parris	Barbara S.	37
Pettkus	Karola M.	38

Pfeiffer	Ken	39
Putnam	John&Grace	40
Rickard	Martin	41
Rugh	Jim	42
Sarki	Yasuhisa	43
Sanfers	Kevin W.	44
Seibert	PhDrZdenek	45
Sjo	John & Irma	48
Thomson	William	49
Timm	Fred&Conni	50
Tumey	Samuel	52
Tumey	Dr. T.W.	53
VandeMoes	Dr. Cor	54
Vandermast	Mrs. Sandra	55
Visentin	Suzette	56
Vulcz	Les	57
Wakeman	Bruce	58
Weeks	Elmo	59
Kaye	Reginald	60
Adkins	John	62
Agostinelli	Don	63
Atterbury	Diane & Ken	64
Boyles	Roger	65
Byer	Dorothy	66
Cava	Edmund	67
Clause	Elean	68
Concannon	Michael	69
Denkowitz	Lothar	70
Drife	Don & Joyce	71
Ehlers	Joachim	72
Geme	John	73
Gemlin	Robert	74
Kluge	Johan	75
Graber	Jean	76
Gustin	Laura	77
Hallman	Edward	78
Hughes	David	80

Kato	Yoshio	81
Kawabata	Shuzo	82
Knouse	John	83
Kuheana	Halyna Mrss	84
Lamb	Dorothy	85
Lellinger	Dr. David B.	86
Marley	John & Judy	87
Miyazaki	Hiroki	88
Moscetti	Pamela	89
Sauls	Craig	90
Sheffield	Dr.Elizabeth	91
Skula	Frank Mrs	93
Sonter	Vai	94
Straney	Dr. David	95
Sullivan	Judith	96
Thompson	John	97
Wingard	Christian	98
Young	Dr Bruce	99
Baird	Marge	100
NimmoSmit	Margarat	101
Hirsch	E. MD	102
Pillar	Richard	103
Laughland	Bryan J.	105
White	Bary	106
Edney	Beverly	107
Gules	Cethenne	108
Betes	Phyllis P.	109
Hailey	Bob	110
HFF		111
AFS/NYBG		112
Burnett	Naud	113
Punter	J. C.	114
Gould	Gretchen	115
Osono	Rufina	116
Feely	Joan	117
Farrar	Dr. Donald	117
Thorut	Chenin	118

Link	Elva C.	119
Birkrem	Dr Alf	120
Sasashi	Mrs Hiroko	122
Feuerstein	Betsy	123
Garrett	Michael	124
HFFLakewol		125
Ney	Jason	126
Evers	Ted	127
Rollins	James A.	128
HEIM	MICHAEL	129
Barton	Loyd & Vera	130
Muller	Robert	131
Constantino	Sandra	134
Tavemier	Wim	135
Batten	D.J.	136
Farden	Cynthia	138
Schieber	Jack	139
Smith	Alan	140
Perry	Jesse	142
Reed Jr	Wally	143
Lundberg	Jean	144
Mandeville	Sua	146
Hinde	Dr. Howard	147
Tonsing	Mary Ellen	148
Quattrochi	Judy	149
Nielson	Jens Henrik	150
Fairboma	Martena	151
Huge	Mogens	152
Hammerbar	Owen	153
Nash	Brian E.	155
McGill	Peggy	156
Coppins	Stephen	157
Minne	Claire	158
Sherlock	Nancy	159
Hoskova	Stanislava	160
Sliger	Dean	161
Yansura	Daniel	162
Hemngton	Ann	163


HFF	GENUS	SPECIES	CVR	COM. NAME	PK	Z	SIZE	GRO	COLL.SITE	ORIG	DONOR
1	Adiantum	aleuticum		Aleutian westrn	25	4	12	TKGEL	Wa.	PacNW Jap	95/10 94/97
2	Adiantum	aleuticum	serpentina ecotype	aleutian westrn	10	2	12	GJTEL	cascade mts	alaska,nw usa	92/25
3	Adiantum	pedatum		AmerMaidenhairFiveFinger	70	2	20	ENSZK		US Jap	94/18
4	Adiantum 1	alaoticum	subpumiium	DwarfMaidenhairAleutian.	3	4	12	ZSNEG		NW N.hem	94/20
5	Adiantum 1	Pedatum	Subpumiium	Maidenhair Fern	10	3		NSZ		US	
6	Adiantum 3	capillus-veneris		Venus.SouthernMaidnhair	4	7	24	FASNH		Pantrop	94/9
7	Allantodia	Australis			8	7	48	BTWK	Mt Garret, Tasmania	AusNZ Tasm	
8	Arachniodes	aristata		EastIndianHolly.PricklyShid	4	6	36	SDKNT		Easia, aust.	94/156 93/9
9	Arachniodes	aristata	vanegata	EastIndianHolly.PricklyShid	20	6	36	SZND		Easia, Aust.	94/10
10	Arachniodes	cavalerii			2	5	40			JapChTaiw	92/36
11	Arachniodes	miqueliana			8	5	24	GK		Easia	95/12 92/43
12	Arachniodes	simplicior			10	6	30	EKTZ		Easia	95/160
13	Arachniodes	simplicior	vanegata		5	7	30	SNE		Easia	94/145
14	Aspidium	aculeatum			5	6					94/9
15	Aspidotis	densa		Indians dream	1	4	8	DZSUJ	Wa.,Eagl creek	Wusa	95/1 93/7,97
16	Asplenium	adiantum-nigrum		Black spleenwort	50	6	14	RANT	Hawaii,Switz	Eur.NA.Af	95/9 94/45
17	Asplenium	adulterinum			14	5	8	RAD	Bohem.	EurTibet	94/9,12,45
18	Asplenium	billotii		LanceolatumSpleenwort	10	5	10	QZTK		Eur	95/10 94/9
19	Asplenium	bulbiferum		mother spleenwort	2	6	36	NJZHE		Aus,NZ	95/9 94/141
20	Asplenium	castanum			4	7	10	NK		Mex	94/34
21	Asplenium	ceterach		Rusty back fern	2	6	8	DKANT		Eur.india,Af	94/9 92/9
22	Asplenium	cuneifolium			16	6		R	Bohem,CzechSwitz	Eur	94/45
23	Asplenium	fissum			6	6	8	RAN	Germ	Wasia	94/9,45
24	Asplanium	flabellifolium		nackdace fern	6	7	12	GSNKJ	Victoria,Aus	Aus NZ	95/53
25	Asplenium	fontanum		SmoothRockSpleenwt.	8	5	5	ZNRSG		Eur	94/9,45,97
26	Asplenium	Hybndum			2	7	10	ZK		Medit.	
27	Asplenium	incisum			5	4	10	ZYK		NE Asia	94/45
28	Asplanium	marinum		sea spleenwort	4	6	10	QNTR		EurAf	94/9
29	Asplenium	obovatum		Lanceolata spleenwort	5	7	12	ATNH		EurMadStHeina	92/104
30	Asplanium	obovatum	lanceolatum	Lanceolatum spleenwot	10	7	6	ATNH	Switz	Eur	95/9 94/154
31	Asplenium	platyneuron		Ebony spleenwort	15	4	18	DAENT	N.Va,NJ,Me	E USA	94/9,147,97
32	Asplenium	pseudofontanum			3	4	9	SRT		Eurasia	94/45
33	Asplenium	rhizophyllum		walking fern	2	4	6	ANTKO		NAm	94/9,8
34	Asplanium	ruta-muraria		Wall-rue	50	4	5	QANU	Wales,Eng,Switz	N. Hem	95/9
35	Asplenium	scolopendrium		harts-tongue, scollies	8	6	12	ANSKO		NHem	94/150,152,97
36	Asplenium	Scolopendrium	Supra marginatum	Harts Tongua fm	10	6	12	ANSKO		NHam	94/155
37	Asplenium	trichomanes		Maidanhair spleenwort	50	2	9	ANTKO	Me,	Cosmo	94/9,38,97
38	Asplenium	trichomanes	Cristatum	Maidanhair spleenwort	1	2	9	ANTKO			94/45 93/7,36
39	Asplenium	trichomanes	Incisum	Incised Maidenhair	20	2	9	ANTE			94/36,45
40	Asplenium	trichomanes	quadrivalens	Maidenhair spleenwort	15	2	9	ANTE	Switz	Eur	95/9 94/45,154
41	Asplenium	trichomanes	trichomanes	Maidenhair spleenwort	4	2	9	ANTE	Switz	Eur	94/45
42	Asplenium	vinde		Green spleenwort	20	4	6	QARNK	AlpsAus	N. Hem	95/2 94/9,45

HFF	GENUS	SPECIES	CVR	COM. NAME	PK	Z	SIZE	GRO	COLL.SITE	ORIG	DONOR
43	Asplenium	1	Dahlhousia		2	7	10	RK		Azores	
44	Asplenium	1	onopteris		35	6	8	RZKNT		Eur	94/9,45,154
45	Asplenium	1	septentrionale		70	4	6	QZDTK	Switz,Italy	NHem	94/9,45,152,15
46	Asplenium	1	septentrionale	septentrionale	1	4	5	QZDT		N. HEM	95/9
47	Asplenium	1	Trichomanes	Hastatum	3	2	9	ANTE	Switz	Switz	94/45
48	Asplenium	1	x ebenoides		10	5	12	ANRK		E. USA	95/163,1 93/97
49	Asplenium	1 3	trichomanes	Pachyrachis	6	2	9	ANTE		Czech	94/45
50	Asplenium	1 3	x alternifolium		3	5	3	R	Germ	Eur,WVa.	94/45
51	Asplenium	1 3	x lusaticum		1	5			Germ	Germ	94/45
52	Asplenium	1 3	x poscharskyanm		3	5			Germ	Germ	94/45
53	Asplenium	2	Platyneuron	Incisum	5	4	18	DAENT		E.US	94/131
54	Asplenium	3	ruta-murana	dolomiticum	1	4	5	QANU		N,Italy	94/45
55	Asplenium	3	trichomanes	lucanum	3	2	9	ANTE			92/45
56	Astrolepsis		sinuata		5	6	10	AUDK		TexMex	95/11
57	Athyrium		angustum	rubellum	3	3	48	ZNTKE		N.Hem	94/141
58	Athyrium		asplenoides		20	4	48	EKNZS		SE USA	94/9 93/9 92/9
59	Athyrium		crenulato-serrulatum		1	5	24	SNKG		Easia	92/12
60	Athyrium		deltoidofrons		5	6	24	TK		Jap,Ch,Kor	93/45 92/88
61	Athyrium		distentifolium		8	3	24	RTVK	Germ.,Austria 1800m	far N Hem	95/12
62	Athyrium		filix-femina		40	3	48	ZNTKE	N.Va,SW Mich	N. HEM	94/144,149,97
63	Athyrium		filix-femina	Bomholmiense	10	3	48	ZNTKE		NE N. Hem	
64	Athyrium		filix-femina	cnstetum	15	3	48	ZNTKE		N. HEM	95/141 94/18
65	Athyrium		filix-femina	Curtum cnstata	3	3	48	ZNTKO		N. HEM	94/45
66	Athyrium		filix-femina	Cydosorum	10	3	48	ZNTKE	Oreg	NW N. Hem.	93/97 92/9,26
67	Athyrium		filix-femina	Frizelliae	10	3	48	ZNTKE		N. HEM	95/2 93/7,97
68	Athyrium		filix-femina	Minutissimum	20	3	48	ZNTKO		N. HEM	95/2
69	Athyrium		filix-femina	multifidum	3	3	48	ZNTKO		N.Hem	94/141
70	Athyrium		filix-femina	redstipes	5	3	48	ZNTKE	Hamburg,Germ	N. HEM	93/12
71	Athyrium		filix-femina	rubellum	50	3	48	ZNTKE	N.Va,Me	N. HEM	94/5 93/3
72	Athyrium		filix-femina	Rubnpes	8	3	60	ZNTKO			94/148
73	Athyrium		filix-femina	Sitchense	4	3	48	ZNTKE		N. HEM	
74	Athyrium		filix-femina	Vernoniae cnstata	20	3	36	ZNTKE		N. HEM	92/49,103,113
75	Athyrium		japonicum		2	6	24	EVATN		Asia	94/9
76	Athyrium		niponicum		10	4	18	ZNTV		Easia	94/9 93/18
77	Athyrium		niponicum	Pictum	60	4	18	ZNTVE	SW Mich	Easia	94/18
78	Athyrium		niponicum	Subpulim	10	4	18	ZNTV		Easia	
79	Athyrium		otophorum		20	4	24	SKENT		Easia	93/3,10,100
80	Athyrium		otophorum	okenum	5	4	20	SKENT		Easia	95/141
81	Athyrium		pycnocarpon		20	4	48	ANTVK		N Am	94/52,5,120
82	Athyrium		Thelypteroides		20	4	36	TWZV	Me	NHemIndia	94/5,120 93/9
83	Athyrium		vidalii		20	5	24	TKE	Jap	Ko,Jp,Tai	94/45 92/9,88
84	Athyrium		yokoscense		4	4	10	K		Kunies,Easia	94/45 93/36,45
85	Athyrium	2 3	iseanum	angustisectum	1	6	24	SK		Ja,Tai	94/9
86	Athyrium	3	alpestre		3	4	24	QRSKV		EurN.AM.	95/1 94/9
87	Athyrium	3	filix-femina	Corymbiferum	6	3	48	ZNTKO		N. HEM	94/45
88	Athyrium	3	filix-femina	Polydactylus Darley Dale	3	4	48	ZNTKO		NHem	94/45
89	Athyrium	3	filix-femina	Victoriae	1	3	48	ZNTKE		N. HEM	95/141 94/10
90	Athyrium	3	iseanum		3	6	24	SK		Ja,Tai	94/9 92/36
91	Athyrium	3	rubripes		1	6				Sibena	94/45 93/9
92	Athyrium	3	spinulosum		4	4	24	SNKE		EAsia	94/45
93	Blechnum		discolor		20	7	38	WTKN	NZ	NZ	95/9
94	Blechnum		minus		20	6	40	WOTK	AukNz	Aus, NZ	95/9,106 94/37
95	Blechnum		minus x wettsii		5	6	12	WUK	Vict Aus	AusNZ	
96	Blechnum		penna-marina		10	5	9	GUOW		NZ	93/9,38,97
97	Blechnum		penna-marina	Crstetum	5	5	9	GUWR		NZ	94/4
98	Blechnum		spicant		30	5	28	ZESWY	Wash.	N. Hem,Pec nw	95/9
99	Blechnum		spicant	large form, 3'	1	5	36	ZESO		N. Hem	94/36 92/36
100	Blechnum		spicant	Redwood giant	10	4	30	NTYK		N.Calif	94/4
101	Blechnum		vulcanicum		8	6	30	SWQK	NatPknZ,Tasm	Aus,NZ	93/53
102	Blechnum	3	spicant	Rickard's serrate	1	5	24	ZESWY		N. Hem	93/36,97
103	Botrychium		dissectum	obliquum	55	4	8	QLZTN	N.Va	N.Am	93/120
104	Botrychium	2 \$\$\$	Virginianum		1	4	16	QZYSK	Maine	N.Am.	95/8
105	Ceterach		officinatum		3	5	6	ADU		India,Af,Eur	94/9,154
106	Ceterach	3	officinatum	officinatum	2	5	6	ADU		India,Af,Eur	95/9 94/45
107	Cheilanthes		alabamensis		8	6	18	DUAK		S.U.S.C Am.W	92/104
108	Cheilanthes		distans		2	7	7	DTZK		Aus,NZ	92/104
109	Cheilanthes		Eatonii		8	4	10	DUAR		SW US	94/20,145,146
110	Cheilanthes		lanosa		25	5	12	NSZK	Me	Se N. Am	94/9,18 93/8,9
111	Cheilanthes		tomentosa		5	6	12	DUAKE		S. US, Mex	
112	Cheilanthes	3	notholaene	marantae	2	6		DU	Cauc.	Caucasia	94/45
113	Coniogramme		intermedia		11	7	36	GWITZ		EasiIndia	95/106
114	Coniogramme		japonica		1	7	48	NSK		E. asia	95/15793/9
115	Comopteris		crenulatoserrulata		15	6	36	SNK		Easia	95/12
116	Cryptogramma		acrostichoides		50	2	10	ZURDA	RamonaFils,eagl crk	W US	94/1 92/97
117	Cryptogramma		Cnspsa		25	6	8	NUAK	Norway	EurWasiaAf	94/9,12,45
118	Ctenopteris	\$\$\$	heterophylla		10	7	10	YMJ	VictAusl	AusNZ	95/53
119	Curraria	3	dryopteris		1	6	9	GNSK		NHem	92/9
120	Cyathea		Kermadacensis		8	7	120	BUHNK		Kermadac is,NZ	93/87 92/87
121	Cyrtomium		caryotideum		10	6	24	ZNTKE		India,Easia,Hawai	94/156
122	Cyrtomium		falcatum		50	6	24	RTNEK	Azores	E&Sasia	95/9,157
123	Cyrtomium		falcatum	Crested	17	6	24	RTNEK		E&Sasia	95/163
124	Cyrtomium		falcatum	Rochfordianum	40	6	20	RSNEK		Jp,ChKor	93/36 92/7,97
125	Cyrtomium		fortunei		50	5	24	ZNTKE	Wakeyama,Jp.	JpChKor	94/9,12,82,156
126	Cyrtomium		fortunei	intermedium	15	5	16	ZNTKO		JpChKor	94/135 93/43
127	Cyrtomium		macrophyllum		15	5	24	ZSNO	Wakayama,Jp.	E&Sasia	94/82
128	Cystopteris		dickiana		25	5	10	NTAVR		EurNam	94/12,45,97
129	Cystopteris		fragilis		50	4	12	ZNTVK	Oreg.Germ.,eagle	Cosmo	94/9,12,97,154
130	Cystopteris		fragilis	Fine Form	9	2	12	EZNTV	Germ.,eagle crk.	Cosmo	94/24
131	Cystopteris		fragilis	much divided type	3	2	12	EZNTV	Germ Alps 1300 m	EurNam	95/12

HFF	GENUS	SPECIES	CVR	COM. NAME	PK	Z	SIZE	GRO	COLL. SITE	ORIG	DONOR
132	Cystopteris	sudetica			16	6	10	GK		Eur, Easia	94/12, 45 93/9
133	Cystopteris	1 montana		mountain bladder fern	8	2	12	ANTR		Cosmo	95/12
134	Cystopteris	3 fragilis	anthriscifolia	Brittle Bladder Fern, Fragile	5	2	16	ZNTEK		Cosmo	94/45
135	Dennstaedtia	hirsuta			10	6	16	KENT	Wakeyama, Jp	Easia	94/82
136	Dicksonia	\$\$\$ 1 fibrosa		Rough Treefern, Whetki Ponga	10	7	120	BEONU	Nt Prk NZ, Aukind	NZ	95/9 94/25
137	Diphasiastrum	34 Complanatum		Northern running pine	2	2	8			N NAm	94/9
138	Diplazium	pycnocarpon		Narrow-leaved Gladefern, Glade	0	3	32	WS		E. N.A.	94/8 93/9
139	Doodia	Aspera		Pinkly rasp fern	15	6	15	UNG	SE Aus.	Aus, NZ, Norfolk is	95/9, 157 94/94
140	Doodia	media		Common Rasp Fern	20	7	10	TWNZP	E Aus	Aus, NZ, Norfolk Island	95/9 94/94, 135
141	Doodia	media	Cairns	Common Rasp Fern	20	7	10	TWNZP	E Aus	Aus, NZ, Norfolk Island	94/94 93/1, 109
142	Dryopteris	abbreviata			8	5					94/45
143	Dryopteris	aemula		Hay-scented Woodfern	2	6	20	SNKEH		Eur	
144	Dryopteris	affinis		Golden Scaled Malefern, scaly	8	4	48	SNTKE		Eur SWAsia	95/12
145	Dryopteris	affinis	affinis	Golden Scaled Malefern, scaly	12	4	48	SNTKE		Eur SWAsia	95/9
146	Dryopteris	affinis	borreni	scaly male fern, golden	20	4	48	SNK		Eur SWAsia	94/135
147	Dryopteris	affinis	borreni, Pseudodisjuncta		20	4		SNTKE	Switz		94/45
148	Dryopteris	affinis	borreni robusta	scaly male fern, golden	20	4	48	SNK		Eur SWAsia	94/135
149	Dryopteris	affinis	cambrensis	crisped golden scaled male	20	4	36	SNVTK		Eur SWAsia	94/25 92/45
150	Dryopteris	effinis	Coniacea	male fern	1	4	24	SNTK		Iran	94/45
151	Dryopteris	affinis	Crispa	crisped golden scaled male	4	4	48	SNTKE		Eur SWAsia	94/20
152	Dryopteris	affinis	Crispa gracilis	crisped dwarf golden scaled	1	4	16	SNTKE		Eur SWAsia	93/36
153	Dryopteris	affinis	Crispe stablen	Narrow Crisped Golden Scaled	5	4	48	SNTKE		Eur SWAsia, Eng	94/25 93/36
154	Dryopteris	affinis	Cristata "The King"	The King of Maleferns, scaly	3	4	48	SNTKE	Victoria, Aus	Eur SWAsia, Aus	94/45, 97
155	Dryopteris	affinis	disjuncta	scaly male fern, golden	6	4	48	SNTKE		Eur SWAsia	94/45
156	Dryopteris	affinis	Persica	scaly male fern, golden	30	4	48	SNTKE		Eur SWAsia	92/26, 45
157	Dryopteris	affinis	Pinderi	scaly male fern, golden	4	4	48	SNTK		Eur SWAsia	94/150
158	Dryopteris	affinis	Polydactyla Dadds	dadds long finned golden	3	4	48	SNTKE		Eur SWAsia	93/125
159	Dryopteris	affinis	pseudodisjuncta	scaly male fern, golden	5	4	48	SNTKE		Eur SWAsia	92/9
160	Dryopteris	affinis	punctata	scaly male fern, golden	4	4	48	SNTKE	SWITZ	Eur SWAsia	94/45 92/9, 26
161	Dryopteris	affinis	robusta	scaly male fern, golden	8	4	48	SNTKE		Eur SWAsia	93/100 92/9
162	Dryopteris	affinis	stilluppensis	scaly male fern, golden	4	4	48	SNTKE		Eur SWAsia	
163	Dryopteris	affinis	The King	scaly male fern, golden	6	4	48	SNTKE		Eur SWAsia	94/141
164	Dryopteris	atrata		shaggy shield fern	30	6	18	NTK		N Hem	94/9, 156
165	Dryopteris	austriaca	spinulosa	Spinulose Wood Fern	2	3	48	OSNK		N. Hem	92/9
166	Dryopteris	Bamsii			2	5			Me		
167	Dryopteris	bissetiana		Beaded Woodfern	20	5	24	SZKEN		Jp	93/34, 45, 97
168	Dryopteris	blanfordii			20	3	36	K		N. Hem	95/12 94/45
169	Dryopteris	Borreni	cristata	Crested Scaly Male fern	2	4	48			Eur, SWAsia	94/9
170	Dryopteris	Borreni	pinderi	Scaly male fern	2	4	48			Eur, SWAsia	94/9
171	Dryopteris	cambrensis			7	6			Cumbria Eng	Eng	92/24, 26
172	Dryopteris	carthusiana		Spinulose Woodfern, Toothed	10	2	30	TZWKE		Europe, N Am	94/9
173	Dryopteris	caucasica			20	5	34			Caucasian mt	95/12 94/45, 24
174	Dryopteris	championii		Champion's Woodfern	25	5	24	OKNT		Easia	94/10 93/7
175	Dryopteris	chinensis			3	5	20	EKNT		Easia	94/9 93/38
176	Dryopteris	clintoniense		Clintons woodfern	25	3	40	WSKE		E NA	95/141 92/26
177	Dryopteris	crassirhizoma		Thick-stemmed Woodfern	90	5	36	TVKE	Japan, Fiji, mt Nen, Jp	Ko, Ch, Jp	94/45 93/9, 34
178	Dryopteris	crassirhizoma	nakei	Thick-stemmed Woodfern	10	5	36	TVK	Japan	Japan	
179	Dryopteris	cristata		Crested Shieldfern, Narrows	60	3	36	ZWSKE	N.H., Mich	N. HEM	95/141, 108
180	Dryopteris	cycadina		Shaggy Shieldfern, Blackwood	40	5	30	NUKE		N Hem	94/45, 97 93/3
181	Dryopteris	cystolepidota			15	7	10	NSK		JapCh	94/38
182	Dryopteris	dickinsii			15	7	24			Ch, Jp	95/12 93/9, 45
183	Dryopteris	dilatata		Broad Bucklefern, Broad Wood	25	4	40	WTOS	Wales, Germ	N Hem, Greenlnd	95/12
184	Dryopteris	dilatata	Crispe Whiteside	crisped broad buckler fern	26	4	36	WTOSK		N Hem	94/25 92/113
185	Dryopteris	dilatata	Grandiceps	Broad Bucklefern, Broad Wood	0	4	36	WTOS		N Hem	
186	Dryopteris	dilatata	Jimmy Dyce	Jimmy Dyces Upright Broad	47	4	20	WTOS		GBrit.	94/36 93/36, 7
187	Dryopteris	dilatata	Lepodota cristata	Lacy Crested Broad Buckler	15	4	18	WTOS		N Hem	94/25 92/97
188	Dryopteris	dilatata	Recurvata	Recurved Broad Bucklerfern	40	4	36	WTOS		N Hem	93/25, 113
189	Dryopteris	erythrosora		Autumn fern	35	5	16	TNKO		ChJpKr	95/1
190	Dryopteris	erythrosora	Prolifica	Prolific autumn fern	5	5	16	TNKO		ChJpKr	94/156 93/97
191	Dryopteris	erythrosora	white sori form	autumn fern	5	5	16	TNKO		ChJpKr	92/25
192	Dryopteris	expensa		Arching Woodfern, Spreading	30	3	30	RTNE	NW Wisc	NW N. Am	94/9, 36, 20, 45
193	Dryopteris	filix-mas		Male Fern	90	3	60	ZSNVE	Mich	N Hem	94/9, 27, 135, 97
194	Dryopteris	filix-mas	Bamesii	bames narrow Male Fern	10	3	36	ZSNVE		N Hem	95/141
195	Dryopteris	filix-mas	Cristata	Male Fern	60	3	48	ZSNVE		N Hem	93/120, 131
196	Dryopteris	filix-mas	cristata martindale	Male fern	7	4	48	ZSNOK		N Hem	95/141, 25
197	Dryopteris	filix-mas	Cristata Filmy type	Male Fern	20	3	60	ZSNV		N Hem	93
198	Dryopteris	filix-mas	Grandiceps	grandicapital crested Male	15	3	36	ZSNVE		N Hem	94/9, 25
199	Dryopteris	filix-mas	linearis	Slender Male fern	17	4	36	ZSNOK		N Hem	95/141 94/12
200	Dryopteris	filix-mas	Linearis Plumose		1	4	60	ZSNOK		N Hem	94/12, 141
201	Dryopteris	filix-mas	Linearis polydactyla	Slender crested Male Fern	30	3	48	ZSNVE		N Hem	94/148, 45, 97, 1
202	Dryopteris	filix-mas	Martindale	male fern	7	4	48	ZSNOK		N Hem	94/141
203	Dryopteris	filix-mas	polydactyla	Male fern	5	4	48	ZSNOK		N Hem	94/141
204	Dryopteris	filix-mas	small erect type	Male Fern	14	3	48	ZSNVE	Germ	N Hem	94/12 93/12
205	Dryopteris	filix-mas	sublinearis	Male fern	11	4	48	ZSNOK		N Hem	94/141
206	Dryopteris	filix-mas	undulata robusta	Male Fern	25	3	60	ZSNVE	Me	N Hem	95/108 94/97
207	Dryopteris	fragrans		fragrant woodfern	30	2	10	RSN	Mong, Irkukst	NA, Asia, Greenlnd	94/45
208	Dryopteris	goldiana		Goldie's fern, Giant Woodfern	15	3	48	TNVE	Mich	N Am	94/141, 36, 39, 1
209	Dryopteris	goldiana hyb. ?	x D. clintonia ?	Goldie's Fern	7	3	48	SN	CT	CT	94/39
210	Dryopteris	intermedia		Evergreen Woodfern, Glandula	10	3	34	ZSNOE		E N America,	94/9, 12
211	Dryopteris	juxtaposita			6	7				India	94/45 93/9
212	Dryopteris	lacera			50	5	24	NTKE	Wakayama, Jp.	Easia, India	95/12 94/82, 45
213	Dryopteris	Lepidota		Sunset fern	10	5	20	ZNEK		N India, Ch Eur	94/45
214	Dryopteris	ludoviciana	x Hybrid	South Woodfern, South Shie	10	6	46	ASEW	NE NC.	SE US	94/2, 9
215	Dryopteris	marginalis		Leather Woodfern, Marginal	50	2	25	ESNOK	Pa, Me	NE N. Am	95/108
216	Dryopteris	nigropaleacea			4	7					93/9
217	Dryopteris	nipponensis			3	6	24	NSKE		ChJp	94/148
218	Dryopteris	oreades		Mountain Malefern, Dwarf Male	30	4	20	NSVKE	Elbrus, Caucasus	Eur	95/12
219	Dryopteris	polyepis		Scaly Woodfern	29	6	24	EKNT		Jap	94/18, 97 93/43
220	Dryopteris	pseudo-filix mas		Mexican Malefern, Mex. Wood	15	5	46	NSKE		Mex Calif	95/9 94/10

HFF	GENUS	SPECIES	CVR	COM. NAME	PK	Z	SZE	GRO	COLL.SITE	ORIG	DONOR
221	Dryopteris	pseudo-mas		see d. affins	6	4	24	NSOK			94/148 93/38
222	Dryopteris	pseudo-mas	Cnstata	see d. affins	10	4	24	NSOK			93/38
223	Dryopteris	pycnopterodes			50	6	24	KENTO		SikkimJap	94/97
224	Dryopteris	ramosa			1	6					93/9
225	Dryopteris	sieboldii		Siebold'sWoodfrn	4	6	24	ZSENK		Easia	94/156 92/111
226	Dryopteris	sieboldii	Cvenata		5	6	20	ZSNKE		Easia	92/111
227	Dryopteris	sieboldii	Incisum	Siebold'sWoodfrn	6	6	24	ZSNK		Easia	94/10
228	Dryopteris	spinulosa	americana	Toothed wood fern	15	4	24	ZN	Deeplk	N.A.Jp	93/3,9,97
229	Dryopteris	sublacera			20	7	20				94/24,25 92/4
230	Dryopteris	submontana		RigidBucklerfrn.Limestone	15	6	20	EANK	Hutnroof Camb Eng	Eur. N. Af	94/104
231	Dryopteris	tokyoensis		TokyoWoodfrn	10	5	30	EZSRN		Jp,Kor	95/141 94/153
232	Dryopteris	uniformis			50	5	30	ZNKOE	Jp	Easia	93/9,10,12,43
233	Dryopteris	varia		see d. bisetiana	1	6	24	ZSNK		Sasia,Philippin	94/45
234	Dryopteris	varia	setosa	see d. bisetiana	10	6	24	ZSNK		Sasia,Philippin	92/111
235	Dryopteris	villarii			20	5			PriuBausko Bulg	Eur	95/12 94/45
236	Dryopteris	wallichiana		Wallich's wood fern	60	5	40	SNKB		Pantropic	94/45 93/97
237	Dryopteris	x bootii		Boots Woodfern	3	3	30	WTKE	Wisc	NA	93/24
238	Dryopteris	X complexa	complexa	hybrid robust male frn	4	4	36	ETNK	Rum	Europe	
239	Dryopteris	X complexa	critice	hybrid robust male frn	12	4	36	ETVNK	Germ	Europe	94/45
240	Dryopteris	x tavelii			43	5					95/12 92/9
241	Dryopteris 1	amurensis		Amur woodfern	15	4	24	SWKE		Jp	94/12
242	Dryopteris 1	celsa		Log Fern	60	4	40	ZTWO	NwarkNJ	E US	94/2,9,38,156
243	Dryopteris 1	remota			25	4	36	KNTE		Eur	94/45,153,97
244	Dryopteris 2	Expansa ?	small esian		8	5		k		Asia	95/12
245	Dryopteris 2	filix-mas	Lux-lunae polydactylia	Male fern	10	4	60	ZSNOK		N.Hem	95/159
246	Dryopteris 3	filix-mas	Cristata Jackson	Male Fern	3	3	48	ZESNO		N Hem	94/45
247	Dryopteris 3	Namegatae			5	7				Jap	94/45
248	Dryopteris 3	x austrelis		Dixie Woodfrn	4	5	60				
249	Equisetum \$	telmateia		Giant Horsetail	10	7	70	QGWUJ		NW N.A.	95/9,162
250	Equisetum \$ 1	palustre		marsh horsetail	7	2	18	WU		cosmo	95/9
251	Equisetum \$ 1	Ramosissimum			10	7	60	WUK		Eur, SE US	95/9
252	Grammitis \$\$\$	billardien			10	7	5	WTYJ		Pantrop	95/53
253	Gymnocarpium	dryopteris		Oak Fern	70	2	12	ERSGV	B.C.	NHem	94/12,18,97
254	Gymnocarpium	dryopteris	Plumosa	Plumose Oak Fern	20	2	12	RSVG	Me	NHem	95/108,1,12
255	Gymnocarpium 1	robertianum		LimestoneOakfrnRobert'sOak	40	2	16	ASEGN		NHem	94/9,12,45,97
256	Hypolepis	millefolia		Thousand-leavedfrnDissecte	7	22		TGVME		NZ	
257	Leptopteris 3	Hymenophyllodes		crepe fern	1	7	30	QWHS		NZ	95/9
258	Lunathium	japonicum		Japanese lady fern	10	6	22	EANTK		S&SE&E asia	94/45 93/36
259	Lycopodium	Annotinum		running pine	5	3	3	QLTZN		Cosmo	
260	Lycopodium	dendroideum		PricklyTreeClubMssPrinces	2	2	9	QLZW		Nor.N.A.NEasia	92/117
261	Lycopodium	instachyum		blue ground cedar	3	3	6	QLTNZ		NE N. Am	93/9
262	Lygodium	japonicum		Japanese climbing frn	20	7	72	CNUK	SW Miss,TX	S&SEasia,Aus	95/52,163
263	Lygodium 1	palmatum		AmericanFrn.Hartfordfrn.Clinch	3	3	60	CWZT		E.N.Am	94/8
264	Matteuccia	orientalis		Oriental ostrich frn	40	5	30	EZN		far east	
265	Matteuccia \$	struthiopteris		OstrichFernShuttlecockfrn	60	2	60	ZWSE		N. Hem	95/9 93/120
266	Matteuccia \$	struthiopteris	esian form		20	3	60	ZWSE		Asia	
267	Matteuccia \$\$\$	struthiopteris	Pennsylvanica	Ostrich Fern	40	2	60	ZWSE	Ma	E. US	95/8 94/120
268	Nephrolepis	Obliterata	Kimberly Queens		20	7	36		NW Aus	Aus	94/94
269	Notholaena	sinuate	sinueta	cloak fern	12	7	24	QUDA		SwUs,C&S am	92/104
270	Onoclea \$	sensibilis		Sensitive Fern.	60	2	24	WUGZ	Va	NHemAsia	94/9
271	Oreopteris (Thelyptens)	limbosperma		mountain fern	10	4	40	ZNK	Scotland	Eur N.A.	94/45
272	Osmunda \$\$\$	cinnamomee		Cinnamon Fern	10	3	60	WZVEK		Cosmo	95/8 94/150
273	Osmunda \$\$\$	cleytoniana		Interrupted Fern	5	2	60	ZWSV	Me	Cosmo	95/8
274	Osmunda \$\$\$	regalis		RoyalFern,FloweringFern	20	3	90	ZWSO		Cosmo	95/8,163,108
275	Osmunda \$\$\$	regalis	Cnsps	Crested royal fern	10	3	72	ZWSVK		Cosmo	95/25 94/25
276	Osmunda \$\$\$	regalis	Cnstata	crested royel fern	10	3	72	ZWSVK		Cosmo	94/25
277	Osmunda \$\$\$	regalis	gracilis	RoyalFern,FloweringFern	1	4	48	ZWSVK		N. Hem	94/5
278	Osmunda \$\$\$	regalis	Japonica(Dimorphic)	RoyalFern,FloweringFern	1	4	48	ZWSVK		N. Hem	94/5
279	Osmunda \$\$\$	regalis	purpurescens	purple stemmed royal frn	10	3	72	ZWSVK		Cosmo	94/25,150 92/7
280	Osmunda \$\$\$	regalis	regalis	RoyalFern,FloweringFern	10	3	90	ZWSVK		Cosmo	94/25
281	Osmunda \$\$\$	regalis	regalis Purpurascens	PurpleRoyalFern,Flowering	10	3	90	ZWSVK		Cosmo	95/110 94/25
282	Osmunda \$\$\$	regalis	spectabilis	RoyalFern,FloweringFern	10	3	90	ZWSVK		Cosmo	95/25 93/9,150
283	Osmunda \$\$\$	regalis	Undulatum	RoyalFern,FloweringFern	1	4	48	ZWSVK		N. Hem	94/5
284	Osmunda 2 3 \$\$\$	Japonica		RoyalFern,FloweringFern	20	6	32	EYZW		E&SAsia,Philipp.	95/110
285	Pellaea	atropurpurea		Purple Cliffbreke	5	3	16	UADEK	Mexico	C&N.A.	95/1 94/140,8
286	Pellaea	rotundifolia		button fern	13	7	6	DTZK		NZ	95/9,1
287	Phanerophlebia	falcata			4	7					
288	Phanerophlebia	fortunei			5	7					
289	Phlegopteris	connectilis		beech fern	40	5	16	SNGVK	Wisc,Scotland	N.Hem	93/129
290	Phyllitis	scolopendrium			50	4	24	ARNSK	Ma	N.Hem	95/9,157 94/45
291	Phyllitis	scolopendrium	Angustifolia	Harts tongue fern	6	4	24	ARNSK		N Hem	95/2 94/9
292	Phyllitis	scolopendrium	Kayes Lacerate		1	4	12	ARNKO		N.Hem	
293	Phyllitis	scolopendrium	marginata	Herts tongue fern	2	4	24	ARNKO		N Hem	94/9
294	Phyllitis	scolopendrium	scolopendrium	Hart's-tongue Fern	3	4	24	ARNSK		N.Hem	94/9,154
295	Phyllitis	scolopendrium	undulata	Undulating Harts tongue fern	2	4	20	ARENS		N Hem	94/9
296	Phyllitis	scolopendrium	wild-Italy		6	4	24	ARNSK		N.Hem	94/9
297	Phyllitis 2	scolopendrium	Crispum Muricatum		3	4	24	ARNSK		N.Hem	95/2
298	Phyllitis 2	scolopendrium	Digitatum		3	4	24	ARNSK		N.Hem	95/2
299	Phyllitis 2	scolopendrium	Rhodesian crested		10	4	24	ARNSK		N.Hem	95/157
300	Phyllitis 2	scolopendrium	Sagittatum cristatum		3	4	24	ARNSK		N.Hem	95/2
301	Polypodium	Australe	Cristatum old form	southern polypody	8	6	18			Eur	92/41
302	Polypodium	australe	Dentatum	southern polypody	5	6	18	JNT		Eur	92/41
303	Polypodium	austrele	omnilacrum oxford	southern polypody	2	6	18	JNT		England	92/41
304	Polypodium	australe	SemilacrumFalcatum	southern polypody	6	6	18	JNT		Eur	92/41
305	Polypodium	australeSemilacrum	falcatum O'Kelly	southern polypody	8	6	18	JNT		England	92/41
306	Polypodium	australeSemilacrum	robustum	southern polypody	5	6	18	JNT		England	92/41
307	Polypodium	cambricum	cambricum	WelshPolypody.SouthernP	6	6	10	TNK		sw Calif	94/9
308	Polypodium	cambricum	serruletum	welsh polypody	5	3	8	TN		sw Calif	95/9 94/154
309	Polypodium	ellipticum			1	7	30	GNSK		E asia	92/9

HFF	GENUS	SPECIES	CVR	COM. NAME	PK	Z	SIZE	GRO	COLL.SITE	ORIG	DONOR
310	Polypodium	interjectum		see microsorum punctatum	22	6	20	UWRA		Eur	95/9
311	Polypodium	interjectum	Glomertum Mullins		5	6	20	UWRA		Eur	92/41
312	Polypodium	polypodioides		Resurrectionfern, GravPoly	1	6	8	DBZGE		C&S Am, S. Af/Wind	94/9
313	Polypodium	scoulen		leather polypody	10	7	14	TNJR	Wash.	N. Am	95/10, 27, 1
314	Polypodium	virginianum		Am. Wallfern, Rockpolypody	5	2	14	RDTON	Wisc, Me	N. Am	94/9, 8, 93/129
315	Polypodium	vulgare		Common Polypody	10	5	12	NTJK	Switz, Me	N. Hem	94/9, 93/9, 38
316	Polypodium	vulgare	prionodes	common polypody	1	4	14	NTJK		Cosmo	94/9
317	Polypodium 1	amorphum		Irregular polypod, Mountain R	20	6	12	R	Oreg, Colum Rvr	Pacific NW	94/97
318	Polypodium 3	australe	Grandiceps Forster	southern polypody	2	6	18	JNT		Eur	92/41
319	Polystichum	acrostichoides		Christmas Fern	40	3	28	SNOK	Me, Mich, Wa, Va, Wisc	N. Am	95/161, 52, 108
320	Polystichum	acrostichoides	multifidum		1	4	30	SNOK		N. Am	95/141, 93/136
321	Polystichum	aculeatum		Hard Shield Fern	30	4	30	EASRG		Eur, N. India	94/9, 36, 45, 120
322	Polystichum	aculeatum	Bornim	Hard Shield Fern	1	4	24	ASRNG		Eur, N. India	94/45, 104, 97
323	Polystichum	aculeatum	Nrnw, split form	Hard Shield Fern	10	4	24	ASRNG		Eur, N. India	
324	Polystichum	braunii		Braun's holly frn	60	3	28	SNOK	Wisc, Mich	N. Hem	95/141, 108, 12
325	Polystichum	californicum		Cal. Holly fern, Cal. Swordfern	22	7	30	RNT	N. Calif, Sonoma C	California	94/4, 1
326	Polystichum	californicum			20	7	24		Is Of Madiera	S. Eur/Madg	93/12, 92/12
327	Polystichum	imbricans		Imbricant Swordfrn, Dwarf	30	3	24	SNK		W. N. Am	94/97, 93/7
328	Polystichum	lemmoni		Shasta Holly fern	20	6	12	TNLK	Wa	W. N. Am	93/28, 132
329	Polystichum	lepidocaulon			2	7	24			Easia	93/43
330	Polystichum	lobatum			30	6	12			Ch	93/9, 93/12
331	Polystichum	lonchitis		Northern Holly fern	30	3	18	ASWO		N. Hem	94/9, 45, 104
332	Polystichum	makinoi		Makino's holly fern	20	5	24	EKNOT		Ch, Jap	95/2, 12, 94/45
333	Polystichum	mayebarae			5	6	18	TNK		Ch/Jap	94/36, 93/36
334	Polystichum	mohrioides		p. lemmoni	30	5	14	R		Ch, W. N. Am	93/12, 92/12
335	Polystichum	mohrioides	Elegans		4	5	12	R		Ch, W. N. Am	95/12, 92/9
336	Polystichum	munitum		Western Sword Fern	60	5	58	SNOK		W. N. Am	94/12, 93/38
337	Polystichum	munitum	Twisted Pinna	Sword Fern	20	5	36	SNKO		W. N. Am	94/25
338	Polystichum	neolobatum		Long-eared holly fern	28	5	24	ENOKS		Jp/Ch/Nep/Him	93/7, 36, 45, 25
339	Polystichum	polyblepharum		Tassel frn, Japanese Lace frn	25	5	24	SZEK	Jap	Jp/Ch/Kor	94/9, 156
340	Polystichum	polyblepharum	Bornim	Tassel frn, Japanese Lace frn	2	5	24	SZEK	Jap	Jp/Ch/Kor	94/9
341	Polystichum	proliferum		Mother shield fern	15	5	36	NTEK		Aus	94/97
342	Polystichum	retroso-paleaceum			30	5	36	SNEKO		Jp/Ch/Kor	94/36, 45, 38
343	Polystichum	rigens		Rigid Holly frn	15	5	24	KNT		Jp/Ch/Kor	93/9, 26
344	Polystichum	setiferum		Soft Shield Fern	99	5	40	TNKE	Fr, Switz, Cauc, Wales	Europe	95/9, 12
345	Polystichum	setiferum	Acutilobum	Soft Shield Fern	5	5	40	TNK		Europe	92/45
346	Polystichum	setiferum	Congestum	Soft Shield Fern	15	5	40	TNK		Europe	95/2, 94/150
347	Polystichum	setiferum	Cristata Bouchert	Soft Shield Fern	3	5	40	TNK		Europe	93/97
348	Polystichum	setiferum	dahlem	soft shield fern	18	5	40	TN		Eur	94/12, 45
349	Polystichum	setiferum	divisilobum cristatum	Soft Shield Fern	5	6	40	TN		Europe	94/97
350	Polystichum	setiferum	foliosum	soft shield fern	2	6	36	TN		Eur	94/9
351	Polystichum	setiferum	Herrenhausen	Soft Shield Fern	6	5	40	TNK		Europe	
352	Polystichum	setiferum	Linearis type	Soft Shield Fern	6	5	40	TNK		Europe	
353	Polystichum	setiferum	Perserretum	Soft Shield Fern	5	5	40	TNK		Europe	92/101
354	Polystichum	setiferum	proliferum	Soft shield fern	3	5	40	TN		Eur	94/9
355	Polystichum	setiferum	proliferum Wollastonii	soft shield fern	2	6	40	NT		Eur	94/9
356	Polystichum	setiferum	RotundCristatum	Crested Soft Shield Fern	5	5	40	TNK		Europe	94/20
357	Polystichum	squarrosus			20	7	18	NTK		Eur/India/Himalaya	94/36, 93/97
358	Polystichum	tripteron		Trifid Holly fern	25	5	24	NTE	Wakayama, Jp.	Easia	95/12, 94/82
359	Polystichum	tsus-simense		Korean Rock frn, Tsu-sima Hm	15	6	18	ZSNKE		Ch/Jp/Kor	95/106, 1
360	Polystichum	vestitum		Prickly shield fern	15	6	36	TSKE	Taupo NZ	Aus/NZ	95/9, 92/55
361	Polystichum	woronowii			4	7					
362	Polystichum	xilyricum			40	5				SEur	94/45, 97, 93/9
363	Polystichum	Xiphophyllum		sword leaf fern	2	7	20			Chin, Taiwan	
364	Polystichum 1	andersonii		anderson's holly fern	40	6	36	WSRK	Mt	NW N. Am	95/1, 94/97
365	Polystichum 1	dudleyi		dudley's holly fern	8	6	36	TNK		Calif.	92/36
366	Polystichum 1	setigerum		Alaska Swordfern, Alaska Holly	70	2	48	SNK		NW N. Am	94/12
367	Polystichum 2	Richardii		Richards Holly fern	10	6	24	KN		NZ	95/9
368	Polystichum 3	setiferum	Conspiculobum	Soft Shield Fern	3	6	40	TN		Europe	94/45
369	Polystichum 3	setiferum	Conspicupinnulum	Soft Shield Fern	4	6	40	TN		Europe	94/45
370	Polystichum 3	setiferum	divisilobum angustatum	Soft Shield Fern	3	6	40	TN		Europe	94/45
371	Polystichum 3	setiferum	Mrs Hughes	Soft Shield Fern	3	6	40	TN		Europe	94/45
372	Polystichum 3	setiferum	Rotundetum	crested Soft Shield Fern	5	6	40	TN		Europe	95/141, 94/45
373	Pteris	multifida		Spider Brake, Chinese Brake	4	6	20	NTREA		Jap/Ch	95/9, 93/109
374	Pyrrosia 3	lingue		Tongue frn, Jap felt fern	9	6	10	DUZGJ		E&SE Asia	95/9, 94/27
375	Selaginella 3	Kraussiana		Krauss's spikemoss	1	6	1/2	KGW		Af, Azores	94/143
376	Thelypteris	decursive-pinnata		Winged Beech, Japanese Beech	7	4	24	ENT		Eur/S&Easia	95/141, 94/150
377	Thelypteris	hexagonoptera		Broad Beech Fern, Southern	20	4	20	SZNEQ	Va, Me	E N. Am	93/9, 126, 92/8
378	Thelypteris	kunthii		Decid South Shield fern, River	30	7	36	GNRET		SE US	95/27, 94/9, 156
379	Thelypteris	limbosperma		Lemon-scented frn, Sweet	25	4	40	ZRUN		Eur, N. Am	95/1, 12, 92/9
380	Thelypteris	nevadensis		Nevada marsh fern, Nevada	20	4	25	TWEK		NW N. Am	94/97
381	Thelypteris	noveboracensis		New York Fern, Tepening frn	28	4	18	ZTNEG	Va	N. Am	93/9, 126
382	Thelypteris	palustris		Marsh fern	8	2	30	WZGS		Eur, N. Am	95/9, 92/3
383	Thelypteris	palustris	palustris	marsh fern	15	4	18	WZGS	Suffk Eng	Eur, N. Am	92/24
384	Thelypteris	palustris	pubescens	marsh fern	6	4	30	WZGS		Eur, N. Am	92/9
385	Thelypteris	phegopteris		Narrow Beech fern, Northern	25	2	24	SNZOK	Java Beds Wa	Eur, N. Am	94/12, 97
386	Thelypteris	simulata		Massachusetts fern, Bog fern	30	4	24	WZT		NE N. Am	95/141, 93/9
387	Thelypteris 1	Dentata		Downy Maiden, Blue Stem frn	3	6	20	AHTKN		Pantrop	94/156, 93/1
388	Woodsia	fragilis			30	5	14	TK	Georg, Cauc	C. Am	95/12
389	Woodsia	ilvensis		Rusty Woodsia	13	2	6	ERTNZ	Bohem	Easia/N. Am/Eur	94/12, 45, 150, 1
390	Woodsia	intermedia			8	5	6			Easia	94/9, 45, 93/45
391	Woodsia	obtusata		Blunt lobed Wood Fern	10	3	14	RTNEA		N. Am	94/9, 97, 120
392	Woodsia	plummerae		Plummer's Cliff fern, Plummer	8	7	14	RNT		Mex/SW US	94/97
393	Woodsia	polystichoides		Holly fern Woodsia	8	4	10	RUZEN		Easia	94/9, 45, 92/7
394	Woodsia	scopulina		Rocky Mountain Woodsia	25	2	10	NTR	Chnook Ps Wa	NW N. Am	94/9, 93/7, 97
395	Woodwardia	areolata		Dimorphic Chain Fern, Nette	2	3	24	ZWUE		N. Am	94/9
396	Woodwardia	fimbriata		Giant chain fern	40	7	80	TWUEK	Ca	Calif/Mex	93/7, 25, 97
397	Woodwardia	radicans		European Chain fern	10	7	60	NUEK		Eurasia	94/9, 135

**Board of Directors:****President:** Sylvia Duryee**First Vice President:** Anne Holt**Recording Secretary:** Jocelyn Horder**Corresponding Secretary:** Barbara Carman**Treasurer:** Jack Docter**Past President:** Guy Huntley**Scientific Advisors:**

Barbara Joe Hoshizaki, Dr. John Mickel

Members at Large:

Greg Becker, Joan Gottlieb,

Reba Roorbach, Mary Ellen Tonsing

Membership Classifications:

Check appropriate box

- ☐ Student \$10.00
☐ Active \$20.00
☐ Family \$25.00
☐ Contributing \$100.00
☐ Supporting \$500.00
☐ Patron \$1000.00
☐ Matching Gift Program
Many companies will match their
employee's contributions.
Employer _____
☐ Donation to Endowment Fund
In addition to my membership I would like to
contribute to the endowment fund.

Amount _____

MEMBERSHIP APPLICATION:

FIRST NAME _____

LAST NAME _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

PHONE _____

AMOUNT ENCLOSED _____

Make checks payable to:

The Hardy Fern Foundation
P.O. Box 166
Medina, Washington 98039-0166

A non-profit organization.

Your membership payment & contributions are tax deductible
to the extent allowed by law.

******* PLEASE NOTE *******

IF YOU HAVE NOT RENEWED YOUR MEMBERSHIP, THIS WILL BE YOUR LAST NEWSLETTER.
CHECK THE DATE ON YOUR MAILING LABEL. ALSO AT THIS TIME OF YEAR DO CONSIDER
THE GIFT OF A MEMBERSHIP IN THE HFF FOR FELLOW PLANT LOVERS!

Hardy Fern Foundation

P.O. Box 166

Medina, WA 98039-0166

NON-PROFIT
US POSTAGE
PAID
SEATTLE, WA
PERMIT NO. 4878